

Certificate of Analysis

Powered by Confident Cannabis 1 of 1

Pharma CBD

172 Williamson Road Mooresville, NC 28117 fisher.austin@gmail.com (704) 605-8015

Sample: 2006G2A0123.0391

Strain: N/A

Batch#:; Batch Size: g

Sample Received: 06/11/2020; Report Created: 06/14/2020

Expiration: Invalid date

Peach Rings

Ingestible, Soft Chew





0.793 mg/unit

Total THC

20.334 mg/unit

Total CBD

Not Tested

Mycotoxins

Analyte

Not Tested

Water Activity

LOO

22.748 mg/unit

Total Cannabinoids

Cannabinoids

Compl	e ⁻	t
-------	----------------	---

Analyte	LOQ	Mass	Mass	
5-11-14-15-1	mg/unit	mg/unit	%	
THCa	0.075	ND	ND	
Δ9-THC	0.075	0.793	0.0105	1
Δ8-ΤΗС	0.075	ND	ND	
CBDa	0.075	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.075	20.334	0.2704	
CBDV	0.075	0.142	0.0019	
CBN	0.075	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGa	0.075	ND	ND	
CBG	0.075	0.619	0.0082	1
CBC	0.075	0.860	0.0114	1
Total	**;;;;;;	22.748	0.3025	1798

Mycotoxins

Limit

Not Tested

Mass Status

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Griffin & Griffin Analytical Associates PO Box 851 Wingate, NC (803) 415-9315 http://www.g2analytical.com

Veronica Griffin

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Griffin & Griffin Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Griffin & Griffin Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Griffin & Griffin Analytical.

President