



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

## PASSED



**Batch #:** 25265222001  
**Batch Date:** 02/16/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 1 units  
**Retail Product Size:** 2 gram  
**Retail Serving Size:** 0.002083 gram  
**Servings:** 960

**Lab ID:** MI60221013-005  
**Sampled:** 02/19/26  
**Sample Size:** 15 gram  
**Completed:** 03/13/26

### Mellow Fellow

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License # : 423679

Oil Manufacturer:  
Arvida Labs LLC  
1291 NW 65th Pl  
Fort Lauderdale, FL 33309  
Permit: 406287

### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**NOT TESTED**



### Pesticide

**PASSED**

### ANALYTES

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.3	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	3	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	2	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	3	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	3	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.5	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	3	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.5	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	3	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	3	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	1.5	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	3	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/13/26



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

# Certificate of Analysis

## Mellow Fellow

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

Sample: MI60221013-005

Batch #: 252652222001

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/13/26

# PASSED

## Pesticide PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	2	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	2	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	3	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	2	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	
IMIDACLOPRID	ppm	0.0100	0.0500	3	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	3	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	3	PASS	ND	
NALED	ppm	0.0100	0.0500	0.5	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.2	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.4	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRETHRIN I	ppm	0.0100	0.0500	1	PASS	ND	
PYRETHRIN II	ppm	0.0100	0.0500	1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	3	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	3	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	3	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	1	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN	ppm	0.0700	0.350	0.7	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2127g	<b>Extraction date:</b> 02/25/26 15:31:38	<b>Extracted by:</b> 450,3379
--	---------------------------	--	----------------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI096147PES

Instrument Used : DA-LCMS-003 (PES)

Analyzed Date : 02/27/26 10:56:50

Batch Date : 02/25/26 10:59:04

Dilution : 25

Reagent : 022426.R24; 012026.01; 022526.R28; 021926.R16; 021926.R15; 022426.R23; 022526.R01

Consumables : 927.100; 030125CH01; 221021DD

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/13/26



# Certificate of Analysis

**Mellow Fellow**  
1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

**Sample: MI60221013-005**  
Batch #: 25265222001

Ordered: 02/19/26  
Sampled: 02/19/26  
Completed: 03/13/26

**PASSED**



## Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.2127g <b>Extraction date:</b> 02/25/26 15:31:38 <b>Extracted by:</b> 450,3379 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> MI096150VOL <b>Instrument Used :</b> DA-GCMS-011 <b>Analyzed Date :</b> 02/26/26 20:13:43 <b>Batch Date :</b> 02/25/26 10:59:58 <b>Dilution :</b> 25 <b>Reagent :</b> 022426.R24; 012026.01; 021026.R22; 021026.R23 <b>Consumables :</b> 927.100; 030125CH01; 221021DD; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218							

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.200	1.00	5	PASS	ND	
2-PROPANOL	ppm	50.0	250	500	PASS	ND	
ACETONE	ppm	75.0	375	5000	PASS	ND	
ACETONITRILE	ppm	6.00	30.0	410	PASS	ND	
BENZENE	ppm	0.100	0.500	2	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	2000	PASS	ND	
CHLOROFORM	ppm	0.200	1.00	60	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	600	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40.0	200	5000	PASS	ND	
ETHYL ETHER	ppm	50.0	250	5000	PASS	ND	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25.0	125	3000	PASS	ND	
N-HEXANE	ppm	25.0	125	290	PASS	ND	
PENTANES (N-PENTANE)	ppm	75.0	375	5000	PASS	ND	
PROPANE	ppm	500	2500	2100	PASS	ND	
TOLUENE	ppm	15.0	75.0	890	PASS	ND	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.50	12.5	80	PASS	ND	
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	ppm	27.0	75.0	2170	PASS	ND	
XYLENES-O (1,2-DIMETHYLBENZENE)	ppm	13.5	75.0	2170	PASS	ND	

<b>Analyzed by:</b> 4444, 585, 1440 <b>Weight:</b> 0.0211g <b>Extraction date:</b> 02/25/26 11:53:14 <b>Extracted by:</b> 4444 <b>Analysis Method :</b> SOP.T.40.041.FL <b>Analytical Batch :</b> MI096158SOL <b>Instrument Used :</b> DA-GCMS-003 <b>Analyzed Date :</b> 02/26/26 09:21:45 <b>Batch Date :</b> 02/25/26 11:44:35 <b>Dilution :</b> 1 <b>Reagent :</b> 061323.02 <b>Consumables :</b> 431526; 325202 <b>Pipette :</b> DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)							
--	--	--	--	--	--	--	--

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/13/26



# Certificate of Analysis

**Mellow Fellow**  
1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

**Sample: MI60221013-005**  
Batch #: 25265222001

Ordered: 02/19/26  
Sampled: 02/19/26  
Completed: 03/13/26

**PASSED**



## Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

**Analyzed by:** 4520, 4892, 585, 1440      **Weight:** 1.19g      **Extraction date:** 02/25/26 09:11:43      **Extracted by:** 4520,4892

**Analysis Method :** SOP.T.40.056C  
**Analytical Batch :** MI096124MIC  
**Instrument Used :** DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)      **Batch Date :** 02/25/26 07:28:54  
**Analyzed Date :** 02/27/26 10:58:49

**Dilution :** 10  
**Reagent :** 101525.63; 101525.70; 021126.R10; 012125.19  
**Consumables :** 7588002038  
**Pipette :** N/A


Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 4520, 4892, 4571, 585, 1440      **Weight:** 1.044g      **Extraction date:** 02/25/26 10:19:10      **Extracted by:** 4520,4892

**Analysis Method :** SOP.T.40.209.FL  
**Analytical Batch :** MI096125TYM  
**Instrument Used :** DA-328 (25°C Incubator)      **Batch Date :** 02/25/26 07:31:07  
**Analyzed Date :** 02/27/26 12:47:10

**Dilution :** 10  
**Reagent :** 010526.08; 021226.34; 010626.R20  
**Consumables :** N/A  
**Pipette :** N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Extended Cannabinoids

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
(9R)-HHC (G)	0.00100	0.00100		TESTED	61.1	1220
(9S)-HHC (G)	0.00100	0.00100		TESTED	32.4	647
(1R)-H4-CBD (G)	0.00100	0.00100		TESTED	11.8	236
D9-THCV (G)	0.00100	0.00100		TESTED	6.80	136
(1S)-H4-CBD (G)	0.00100	0.00100		TESTED	6.37	127
CBG (G)	0.00100	0.00100		TESTED	5.20	104
CBD (G)	0.00100	0.00100		TESTED	1.48	29.7
D4(8)-ISO-THC (G)	0.00100	0.00100		TESTED	0.123	2.46
D9-THC (G)	0.00100	0.00100		TESTED	0.00653	0.131
(9R)-D10-THC (G)	0.00100	0.00100		TESTED	ND	ND
(9S)-D10-THC (G)	0.00100	0.00100		TESTED	ND	ND
CBC (G)	0.00100	0.00100		TESTED	ND	ND
CBCV (G)	0.00100	0.00100		TESTED	ND	ND
CBD-C8 (G)	0.00100	0.00100		TESTED	ND	ND
CBDB (G)	0.00100	0.00100		TESTED	ND	ND
CBDH (G)	0.00100	0.00100		TESTED	ND	ND
CBDP (G)	0.00100	0.00100		TESTED	ND	ND
CBDV (G)	0.00100	0.00100		TESTED	ND	ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/13/26



# Certificate of Analysis

**Mellow Fellow**

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

**Sample: MI60221013-005**

**Batch #: 252652222001**

**Ordered:** 02/19/26

**Sampled:** 02/19/26

**Completed:** 03/13/26

**PASSED**



## Extended Cannabinoids

TESTED


ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
CBL (G)	0.00100	0.00100		TESTED	ND	ND
CBN (G)	0.00100	0.00100		TESTED	ND	ND
CBN ACETATE (G)	0.00100	0.00100		TESTED	ND	ND
CBNP (G)	0.00100	0.00100		TESTED	ND	ND
CBT (G)	0.00100	0.00100		TESTED	ND	ND
D6A,10A-THC (G)	0.00100	0.00100		TESTED	ND	ND
D8-THC (G)	0.00100	0.00100		TESTED	ND	ND
D8-THC-C8 (G)	0.00100	0.00100		TESTED	ND	ND
D8-THCB (G)	0.00100	0.00100		TESTED	ND	ND
D8-THCH (G)	0.00100	0.00100		TESTED	ND	ND
D8-THCO (G)	0.00100	0.00100		TESTED	ND	ND
D8-THCP (G)	0.00100	0.00100		TESTED	ND	ND
D8-ISO-THC (G)	0.00100	0.00100		TESTED	ND	ND
D9-THC ACETATE (G)	0.00100	0.00100		TESTED	ND	ND
D9-THC-C8 (G)	0.00100	0.00100		TESTED	ND	ND
D9-THCB (G)	0.00100	0.00100		TESTED	ND	ND
D9-THCH (G)	0.00100	0.00100		TESTED	ND	ND
D9-THCO (G)	0.00100	0.00100		TESTED	ND	ND
D9-THCP (G)	0.00100	0.00100		TESTED	ND	ND
EXO-THC (G)	0.00100	0.00100		TESTED	ND	ND

<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.0923g	<b>Extraction date:</b> 03/06/26 18:29:30	<b>Extracted by:</b> 450
---------------------------------------	---------------------------	--	-----------------------------

**Analysis Method :** SOP.T.40.0141  
**Analytical Batch :** MI096168CAN  
**Instrument Used :** DA-GCMS-010  
**Analyzed Date :** 03/12/26 14:44:59  
**Batch Date :** 02/25/26 15:44:57

**Dilution :** 800  
**Reagent :** N/A  
**Consumables :** N/A  
**Pipette :** N/A

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection, along with Gas Chromatography Mass Spectrometry.



## Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	

<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2127g	<b>Extraction date:</b> 02/25/26 15:31:38	<b>Extracted by:</b> 450,3379
--	---------------------------	--	----------------------------------

**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL  
**Analytical Batch :** MI096149MYC  
**Instrument Used :** DA-LCMS-003 (MYC)  
**Analyzed Date :** 02/27/26 10:54:10  
**Batch Date :** 02/25/26 10:59:53

**Dilution :** 25  
**Reagent :** 022426.R24; 012026.01; 022526.R28; 021926.R16; 021926.R15; 022426.R23; 022526.R01  
**Consumables :** 927.100; 030125CH01; 221021DD  
**Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/13/26



# Certificate of Analysis

**Mellow Fellow**  
1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

**Sample: MI60221013-005**  
Batch #: 252652222001

Ordered: 02/19/26  
Sampled: 02/19/26  
Completed: 03/13/26

**PASSED**



## Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.41	
<b>Analyzed by:</b> 450, 4571, 585, 1440		<b>Weight:</b> 0.2532g		<b>Extraction date:</b> 02/25/26 15:12:24		<b>Extracted by:</b> 450,4571	
<b>Analysis Method :</b> SOP.T.40.019				<b>Batch Date :</b> 02/25/26 12:57:31			
<b>Analytical Batch :</b> MI096162WAT							
<b>Instrument Used :</b> DA-028 Rotronic Hygropalm							
<b>Analyzed Date :</b> 02/26/26 09:05:22							
<b>Dilution :</b> N/A							
<b>Reagent :</b> 091525.03							
<b>Consumables :</b> PS-14							
<b>Pipette :</b> N/A							




## Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC	ppm	0.0200	0.100	1.5	PASS	ND	
CADMIUM	ppm	0.0200	0.100	0.5	PASS	ND	
MERCURY	ppm	0.0200	0.100	3	PASS	ND	
LEAD	ppm	0.0200	0.100	0.5	PASS	ND	
<b>Analyzed by:</b> 1022, 585, 1440		<b>Weight:</b> 0.2424g		<b>Extraction date:</b> 02/25/26 13:17:45		<b>Extracted by:</b> 1022,5122	
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL				<b>Batch Date :</b> 02/25/26 09:48:10			
<b>Analytical Batch :</b> MI096133HEA							
<b>Instrument Used :</b> DA-ICPMS-005							
<b>Analyzed Date :</b> 02/26/26 09:38:36							
<b>Dilution :</b> 50							
<b>Reagent :</b> 022026.R15; 020326.R11; 022426.R03; 022526.R27; 022426.R01; 022426.R02; 020526.01; 020326.R12; 061323.01							
<b>Consumables :</b> 030125CH01; J609879-0193; 179436							
<b>Pipette :</b> DA-061; DA-191; DA-215							

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Vitamin E

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
VITAMIN E ACETATE	ppm	0.0750	0.250	100	PASS	ND	
<b>Analyzed by:</b> 585, 1440		<b>Weight:</b> 0.0923g		<b>Extraction date:</b> 03/12/26 17:38:18		<b>Extracted by:</b> 585	
<b>Analysis Method :</b> N/A							
<b>Analytical Batch :</b> MI096745VIT				<b>Batch Date :</b> 03/12/26 15:42:29			
<b>Instrument Used :</b> MI-LC-001							
<b>Analyzed Date :</b> 03/13/26 13:24:18							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/13/26



3451 Commerce Parkway  
 Miramar, FL, 33025, US  
 (954) 368-7664

Kaycha Labs

Mellow Fellow Live Resin Disposable Vapes 2ml Charged Blend Ghost Train Haze (Sativa)  
 Strain: Ghost Train Haze  
 Matrix: Derivative  
 Classification: Other Cannabinoid Dominant  
 Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.



# Certificate of Analysis

Pages 7 of 7

**Mellow Fellow**  
 1100 NW 51st CT  
 Fort Lauderdale, FL, 33309, US  
 License #: 423679

**Sample: MI60221013-005**  
 Batch #: 25265222001

**Ordered:** 02/19/26  
**Sampled:** 02/19/26  
**Completed:** 03/13/26

**PASSED**

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	ND	
<b>Analyzed by:</b> 4571, 585, 1440	<b>Weight:</b> 1g	<b>Extraction date:</b> 02/25/26 13:00:28		<b>Extracted by:</b> 4571			
<b>Analysis Method :</b> SOP.T.40.090				<b>Batch Date :</b> 02/25/26 12:56:58			
<b>Analytical Batch :</b> MI096161FIL							
<b>Instrument Used :</b> Filth/Foreign Material Microscope							
<b>Analyzed Date :</b> 02/25/26 13:16:46							

**Dilution :** N/A  
**Reagent :** N/A  
**Consumables :** N/A  
**Pipette :** N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-00013  
 ISO 17025 Accreditation #  
 ISO/IEC 17025:2017  
 Accreditation PJA-Testing  
 97164

Signature  
 03/13/26



**Certificate of Analysis**  
Compliance Test

<b>Client Information:</b> Mellow Fellow 1100 NW 51st CT Fort Lauderdale, FL 33309	<b>Manufacturing Facility:</b> Arvida Labs LLC 1291 NW 65th Pl Unit B Fort Lauderdale, FL 33309	<b>Batch Data:</b> Batch # 25265222001 Batch Date: 2026-02-16 Extracted From: Hemp	<b>Order Details:</b> Test Reg State: Florida	<b>Food Permits:</b> State: FL - #393546
--	---	---	--	---

<b>Order #</b> MEL260226-370001 <b>Order Date:</b> 2026-02-26 <b>Sample #</b> AAHL952	<b>Sampling Date:</b> 2026-03-17 <b>Lab Batch Date:</b> 2026-03-17 <b>Completion Date:</b> 2026-03-19	<b>Initial Gross Weight:</b> 49.470 g	<b>Net Weight per Package:</b> 2000.000 mg	<b>Servings Per Package:</b> 960
--	---	---------------------------------------	---	-------------------------------------



Product Image

**2,3-Butanedione**  
Passed

No Potency Summary on this page.

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of ml The results apply to the sample as received.  
*This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number*



## Certificate of Analysis

### Compliance Test

<b>Client Information:</b> Mellow Fellow 1100 NW 51st CT Fort Lauderdale, FL 33309	<b>Manufacturing Facility:</b> Arvida Labs LLC 1291 NW 65th Pl Unit B Fort Lauderdale, FL 33309	<b>Batch Data:</b> Batch # 252652222001 Batch Date: 2026-02-16 Extracted From: Hemp	<b>Order Details:</b> Test Reg State: Florida	<b>Food Permits:</b> State: FL - #393546
--	---	--	--	---

<b>Order #</b> MEL260226-370001 <b>Order Date:</b> 2026-02-26 <b>Sample #</b> AAHL952	<b>Sampling Date:</b> 2026-03-17 <b>Lab Batch Date:</b> 2026-03-17 <b>Completion Date:</b> 2026-03-19	<b>Initial Gross Weight:</b> 49.470 g	<b>Net Weight per Package:</b> 2000.000 mg	<b>Servings Per Package:</b> 960
--	---	---------------------------------------	---	-------------------------------------

<b>2,3-butanedione(Diacetyl)</b> Specimen Weight: 15.000 mg	<b>Passed</b> SOP13.039 (GCMS-HS)		
Dilution Factor: 1.000			
Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	0.024	0.024	<LOQ

Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



**Definitions are found on page 1**  
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number