

## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA



### Summary

Test	Date Tested
Cannabinoids	06/12/2025
Foreign Matter	06/04/2025
Heavy Metals	06/09/2025
Microbials	06/11/2025
Mycotoxins	06/09/2025
Pesticides	06/19/2025
Residual Solvents	06/09/2025

**Status**  
 Tested  
 Tested  
 Passed  
 Passed  
 Passed  
 Passed  
 Passed

<b>ND</b> Total Δ9-THC	<b>44.8 %</b> Δ8-THC	<b>86.5 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Detected</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	---------------------------------------	---



Generated By: Alex Morris  
 Quality Manager  
 Date: 06/19/2025



## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA

## Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	2.97	29.7
CBDA	0.0043	0.013	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	5.11	51.1
CBNA	0.006	0.0181	ND	ND
CBNP	0.0067	0.02	ND	ND
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	ND	ND
Δ8-iso-THC	0.0067	0.02	0.149	1.49
Δ8-THC	0.0104	0.0312	44.8	448
Δ8-THC acetate	0.0067	0.02	ND	ND
Δ8-THCP	0.0067	0.02	ND	ND
Δ8-THCV	0.0067	0.02	0.316	3.16
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THC acetate	0.0067	0.02	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCP	0.0067	0.02	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	20.9	209
(6aR,9S,10aR)-HHC	0.0067	0.02	12.2	122
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>86.5</b>	<b>865</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



Generated By: Alex Morris  
 Quality Manager  
 Date: 06/19/2025



Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 06/12/2025



ISO/IEC 17025:2017 Accredited  
 Accreditation #108651



## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA

## Heavy Metals by ICP-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F
Arsenic	0.002	0.02	ND	P
Cadmium	0.001	0.02	ND	P
Lead	0.002	0.02	ND	P
Mercury	0.012	0.05	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Alex Morris  
 Quality Manager  
 Date: 06/19/2025



Tested By: Kelsey Rogers  
 Scientist  
 Date: 06/09/2025



## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA

### Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
Abamectin	30	100	ND	P	Imazalil	30	100	ND	P
Acephate	30	100	ND	P	Imidacloprid	30	100	ND	P
Acetamiprid	30	100	ND	P	Kresoxim methyl	30	100	ND	P
Aldicarb	30	100	ND	P	Malathion	30	100	ND	P
Azoxystrobin	30	100	ND	P	Metaxyl	30	100	ND	P
Bifenazate	30	100	ND	P	Methiocarb	30	100	ND	P
Bifenthrin	30	100	ND	P	Methomyl	30	100	ND	P
Boscalid	30	100	ND	P	Mevinphos	30	100	ND	P
Carbaryl	30	100	ND	P	Myclobutanil	30	100	ND	P
Carbofuran	30	100	ND	P	Naled	30	100	ND	P
Chloranthraniliprole	30	100	ND	P	Oxamyl	30	100	ND	P
Chlorfenapyr	30	100	ND	P	Paclobutrazol	30	100	ND	P
Chlorpyrifos	30	100	ND	P	Pentachloronitrobenzene	30	100	ND	P
Clofentezine	30	100	ND	P	Phosmet	30	100	ND	P
Coumaphos	30	100	ND	P	Piperonyl Butoxide	30	100	ND	P
Cypermethrin	30	100	ND	P	Propiconazole	30	100	ND	P
Daminozide	30	100	ND	P	Propoxur	30	100	ND	P
Diazinon	30	100	ND	P	Pyridaben	30	100	ND	P
Dichlorvos	30	100	ND	P	Spinetoram	30	100	ND	P
Dimethoate	30	100	ND	P	Spinosad	30	100	ND	P
Dimethomorph	30	100	ND	P	Spiromesifen	30	100	ND	P
Ethoprophos	30	100	ND	P	Spirotetramat	30	100	ND	P
Etofenprox	30	100	ND	P	Spiroxamine	30	100	ND	P
Etoxazole	30	100	ND	P	Tebuconazole	30	100	ND	P
Fenhexamid	30	100	ND	P	Thiacloprid	30	100	ND	P
Fenoxycarb	30	100	ND	P	Thiamethoxam	30	100	ND	P
Fenpyroximate	30	100	ND	P	Trifloxystrobin	30	100	ND	P
Fipronil	30	100	ND	P					
Flonicamid	30	100	ND	P					
Fludioxonil	30	100	ND	P					

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Alex Morris  
 Quality Manager  
 Date: 06/19/2025



Tested By: Anthony Mattingly  
 Scientist  
 Date: 06/19/2025



## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA

### Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
B1	1	5	ND	P
B2	1	5	ND	P
G1	1	5	ND	P
G2	1	5	ND	P
Ochratoxin A	1	5	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Alex Morris  
 Quality Manager  
 Date: 06/19/2025



Tested By: Anthony Mattingly  
 Scientist  
 Date: 06/09/2025



## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA

## Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)	P/F
Total aerobic count	10	ND		P
Aspergillus flavus	1		Not Detected per 1 gram	P
Aspergillus fumigatus	1		Not Detected per 1 gram	P
Aspergillus niger	1		Not Detected per 1 gram	P
Aspergillus terreus	1		Not Detected per 1 gram	P
Bile-tolerant gram-negative bacteria	10	ND		P
Total coliforms	10	ND		P
Generic E. coli	10	ND		P
Salmonella spp.	1		Not Detected per 1 gram	P
Shiga-toxin producing E. coli (STEC)	1		Not Detected per 1 gram	P
Total yeast and mold count (TYMC)	10	ND		P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Alex Morris  
 Quality Manager  
 Date: 06/19/2025



Tested By: Sara Cook  
 Laboratory Technician  
 Date: 06/11/2025



## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA

## Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F
Acetone	167	500	ND	P	Ethylene Oxide	0.5	1	ND	P
Acetonitrile	14	41	ND	P	Heptane	167	500	ND	P
Benzene	0.5	1	ND	P	n-Hexane	10	29	ND	P
Butane	167	500	ND	P	Isobutane	167	500	ND	P
1-Butanol	167	500	ND	P	Isopropyl Acetate	167	500	ND	P
2-Butanol	167	500	ND	P	Isopropyl Alcohol	167	500	ND	P
2-Butanone	167	500	ND	P	Isopropylbenzene	167	500	ND	P
Chloroform	2	6	ND	P	Methanol	100	300	ND	P
Cyclohexane	129	388	ND	P	2-Methylbutane	10	29	ND	P
1,2-Dichloroethane	0.5	1	ND	P	Methylene Chloride	20	60	ND	P
1,2-Dimethoxyethane	4	10	ND	P	2-Methylpentane	10	29	ND	P
Dimethyl Sulfoxide	167	500	ND	P	3-Methylpentane	10	29	ND	P
N,N-Dimethylacetamide	37	109	ND	P	n-Pentane	167	500	ND	P
2,2-Dimethylbutane	10	29	ND	P	1-Pentanol	167	500	ND	P
2,3-Dimethylbutane	10	29	ND	P	n-Propane	167	500	ND	P
N,N-Dimethylformamide	30	88	ND	P	1-Propanol	167	500	ND	P
2,2-Dimethylpropane	167	500	ND	P	Pyridine	7	20	ND	P
1,4-Dioxane	13	38	ND	P	Tetrahydrofuran	24	72	ND	P
Ethanol	167	500	ND	P	Toluene	30	89	ND	P
2-Ethoxyethanol	6	16	ND	P	Trichloroethylene	3	8	ND	P
Ethyl Acetate	167	500	ND	P	Xylenes (o-, m-, and p-)	73	217	ND	P
Ethyl Ether	167	500	ND	P					
Ethylbenzene	3	7	ND	P					

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Alex Morris  
 Quality Manager  
 Date: 06/19/2025



Tested By: Kelsey Rogers  
 Scientist  
 Date: 06/09/2025





## Mellow Fellow - 2ml Cartridge - Dream Live Resin Blend - Double Dream

Sample ID: SA-250602-62967  
 Batch: 24338201100220  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

Received: 06/03/2025  
 Completed: 06/19/2025

**Client**  
 Mellow Fellow  
 1100 NW 51st CT  
 Fort Lauderdale, FL 33309-3138  
 USA

## Reporting Limit Appendix

### Heavy Metals - KY 902 KAR 45:190

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Arsenic	1.5	Lead	0.5
Cadmium	0.5	Mercury	1.5

### Microbials -

Analyte	Limit (CFU/g)	Analyte	Limit (CFU/g)
Total coliforms	100	Total aerobic count	10000
Bile-tolerant gram-negative bacteria	1000		
Total yeast and mold count (TYMC)	1000		

### Residual Solvents - USP 467

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Acetone	5000	Ethylene Oxide	1
Acetonitrile	410	Heptane	5000
Benzene	2	n-Hexane	290
Butane	5000	Isobutane	5000
1-Butanol	5000	Isopropyl Acetate	5000
2-Butanol	5000	Isopropyl Alcohol	5000
2-Butanone	5000	Isopropylbenzene	5000
Chloroform	60	Methanol	3000
Cyclohexane	3880	2-Methylbutane	290
1,2-Dichloroethane	5	Methylene Chloride	600
1,2-Dimethoxyethane	100	2-Methylpentane	290
Dimethyl Sulfoxide	5000	3-Methylpentane	290
N,N-Dimethylacetamide	1090	n-Pentane	5000
2,2-Dimethylbutane	290	1-Pentanol	5000
2,3-Dimethylbutane	290	n-Propane	5000
N,N-Dimethylformamide	880	1-Propanol	5000
2,2-Dimethylpropane	5000	Pyridine	200
1,4-Dioxane	380	Tetrahydrofuran	720
Ethanol	5000	Toluene	890
2-Ethoxyethanol	160	Trichloroethylene	80
Ethyl Acetate	5000	Xylenes (o-, m-, and p-)	2170
Ethyl Ether	5000		
Ethylbenzene	70		

### Pesticides - CA DCC

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Abamectin	300	Imazalil	30
Acephate	5000	Imidacloprid	3000
Acetamiprid	5000	Kresoxim methyl	1000
Aldicarb	30	Malathion	5000
Azoxystrobin	40000	Metaxyl	15000
Bifenazate	5000	Methiocarb	30
Bifenthrin	500	Methomyl	100
Boscalid	10000	Mevinphos	30
Carbaryl	500	Myclobutanil	9000
Carbofuran	30	Naled	500
Chloranthraniliprole	40000	Oxamyl	200
Chlorfenapyr	30	Paclobutrazol	30
Chlorpyrifos	30	Pentachloronitrobenzene	200
Clofentezine	500	Phosmet	200
Coumaphos	30	Piperonyl Butoxide	8000
Cypermethrin	1000	Propiconazole	20000
Daminozide	30	Propoxur	30
Diazinon	200	Pyridaben	3000
Dichlorvos	30	Spinetoram	3000
Dimethoate	30	Spinosad	3000
Dimethomorph	20000	Spiromesifen	12000
Ethoprophos	30	Spirotetramat	13000
Etofenprox	30	Spiroxamine	30
Etoazole	1500	Tebuconazole	2000
Fenhexamid	10000	Thiacloprid	30
Fenoxycarb	30	Thiamethoxam	4500
Fenpyroximate	2000	Trifloxystrobin	30000
Fipronil	30		
Flonicamid	2000		
Fludioxonil	30000		

### Mycotoxins - Colorado CDPHE

Analyte	Limit (ppb)	Analyte	Limit (ppb)
B1	5	B2	5
G1	5	G2	5
Ochratoxin A	5		

