

Blue Dream LA

Lab ID: 230928-678-TL-4

METRC Batch: ; METRC Sample:
Sample ID: 2503PHS0562.2569
Strain: Blue Dream LA
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 03/21/2025
Batch#:

Producer



Summary

| | | |
|--------------|-------------|--------|
| Test | Date Tested | Result |
| Cannabinoids | 03/21/2025 | Pass |

Cannabinoids

Pass

| | | |
|----------------|-----------|--------------------|
| 25.055% | ND | 25.797% |
| Total THC | Total CBD | Total Cannabinoids |

| Analyte | LOD | LOQ | Results | Results |
|------------------|------|------|---------------|----------------|
| | mg/g | mg/g | % | mg/g |
| THCa | 0.01 | 0.01 | 28.401 | 284.01 |
| Δ9-THC | 0.01 | 0.01 | 0.147 | 1.47 |
| Δ8-THC | 0.01 | 0.01 | ND | ND |
| THCVa | 0.01 | 0.10 | 0.190 | 1.90 |
| THCV | 0.01 | 0.10 | ND | ND |
| CBDa | 0.01 | 0.01 | ND | ND |
| CBD | 0.01 | 0.01 | ND | ND |
| CBDVa | 0.01 | 0.10 | ND | ND |
| CBDV | 0.01 | 0.10 | ND | ND |
| CBN | 0.01 | 0.10 | ND | ND |
| CBGa | 0.01 | 0.10 | 0.656 | 6.56 |
| CBG | 0.01 | 0.10 | ND | ND |
| CBC | 0.01 | 0.10 | ND | ND |
| (6aR,9S)-d10-THC | 0.01 | 0.01 | ND | ND |
| (6aR,9R)-d10-THC | 0.01 | 0.01 | ND | ND |
| Total THC | | | 25.055 | 250.550 |
| Total CBD | | | ND | ND |
| Total | | | 29.394 | 293.94 |

Notes:
 Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeledj

Raquel Keledjian
Lab Director
03/21/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attent all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian