



Customer: NW Natural Goods
 United States of America (USA)
Product identity: HEMP - DSB 0003
Metric ID: .
Metric Source ID:
Material: Cannabinoid Edible
Sample Date:
Laboratory ID: 25-003074-0001
Evidence of Cooling: No
Temp: 19.5 °C
Serving Size #1: 4 g

Sample Results

Potency		Method: J AOAC 2015 V98-6 (mod) ^b			Batch: 2502160		Analyze: 2025-03-25 17:19:00
Analyte	Result	Units	LOQ	Notes	Serving Size #1		
					Result	Units	LOQ
CBC	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBC-A	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBC-Total	< LOQ	%	0.0058		< LOQ	mg/4g	0.231
CBD [±]	0.476	%	0.0031		19.0	mg/4g	0.123
CBD-A [±]	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBD-Total [±]	0.476	%	0.0058		19.0	mg/4g	0.231
CBDV	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBDV-A	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBDV-Total	< LOQ	%	0.0057		< LOQ	mg/4g	0.229
CBE	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBG	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBG-A	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBG-Total	< LOQ	%	0.0057		< LOQ	mg/4g	0.229
CBL	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBL-A	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBL-Total	< LOQ	%	0.0058		< LOQ	mg/4g	0.231
CBN	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
CBT	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ10-THC-9R	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ10-THC-9S	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ10-THC-Total	< LOQ	%	0.0061		< LOQ	mg/4g	0.246
Δ8-THC [±]	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ8-THCV	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ9-THC [±]	0.0528	%	0.0031		2.11	mg/4g	0.123
Δ9-THC-A [±]	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ9-THC-Total [±]	0.0528	%	0.0058		2.11	mg/4g	0.231
Δ9-THCP	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ9-THCV	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ9-THCV-A	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Δ9-THCV-Total	< LOQ	%	0.0057		< LOQ	mg/4g	0.229



Potency Method: J AOAC 2015 V98-6 (mod)^b Batch: 2502160 Analyze: 2025-03-25 17:19:00

Analyte	Result	Units	LOQ	Notes	Serving Size #1		
					Result	Units	LOQ
exo-THC	< LOQ	%	0.0031		< LOQ	mg/4g	0.123
Total Cannabinoids	0.529	%			21.2	mg/4g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2502106	03/27/25 AOAC 990.12 (Petrifilm)		
E.coli	< LOQ		cfu/g	10	2502104	03/27/25 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2502104	03/27/25 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2502105	03/28/25 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2502105	03/28/25 AOAC 2014.05 (RAPID)		

Solvents Method: Residual Solvents by HS-GC-MS^b Units µg/g Batch 2502174 Analyze 03/26/25 05:54 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 Units mg/kg Batch 2502269 Analyze 03/28/25 03:05 PM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			



Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0198	2502207	03/27/25 AOAC 2013.06 (mod.) ^p	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0198	2502207	03/27/25 AOAC 2013.06 (mod.) ^p	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0198	2502207	03/27/25 AOAC 2013.06 (mod.) ^p	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.00990	2502207	03/27/25 AOAC 2013.06 (mod.) ^p	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2502164	03/26/25 Mycotoxins by AOAC 2007.01		
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2502164	03/26/25 Mycotoxins by AOAC 2007.01		
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2502164	03/26/25 Mycotoxins by AOAC 2007.01		
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2502164	03/26/25 Mycotoxins by AOAC 2007.01		
Ochratoxin A	< LOQ	20.0	µg/kg	5.00	2502164	03/26/25 Mycotoxins by AOAC 2007.01 ^p	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		03/31/25 Mycotoxins by AOAC 2007.01 ^p	pass	

Nutrition

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Moisture (Loss on Drying)	17.5		g/100g	0.10	2502167	03/25/25 AOAC 925.10 (mod.)		
Water Activity	0.655		Aw	0.030	2502181	03/25/25 AOAC 978.18		

**Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

A_w = Water Activity

mg/4g = Milligram per 4g

% wt = µg/g divided by 10,000



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2025-03-28

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
2,4-D	0.10	2,4-DB	0.10	2,4-DP	0.10	2,4,5-T	0.10
2,4,5-TP	0.10	Abamectin (Avermectin)	0.10	Acephate	0.20	Acequinocyl	0.10
Acetamiprid	0.10	Acetochlor	0.20	Acibenzolar-s-methyl	0.10	Acifluorfen	0.10
Acrinathrin	0.10	Afidopyropen	0.10	Alachlor	0.20	Aldicarb	0.10
Aldicarb-sulfone	0.10	Aldicarb-sulfoxide	0.10	Aldrin	0.10	Ametoctradin	0.10
Ametryn	0.10	Aminocyclopyrachlor	0.10	Anilazine	0.30	Aspon	0.10
Asulam	0.10	Atrazine	0.10	Atrazine-desethyl	0.10	Azadirachtin	0.10
Azinphos-ethyl	0.10	Azinphos-methyl	0.10	Azoxystrobin	0.10	Benalaxyl	0.10
Bendiocarb	0.10	Benfluralin	0.10	Benoxacor	0.10	Bensulide	0.10
Bentazone	0.10	Benzovindiflupyr	0.10	BHC (α , β , γ , δ isomers)	0.10	Bifenazate	0.10
Bifenox	0.10	Bifenthrin	0.10	Binapacryl	0.40	Bioresmethrin	0.10
Bitertanol	0.20	Boscalid	0.10	Broflanilide	0.10	Bromacil	0.20
Bromophos-ethyl	0.20	Bromophos-methyl	0.10	Bromopropylate	0.10	Bromoxynil	0.10
Bromuconazole	0.10	Bupirimate	0.10	Buprofezin	0.10	Butachlor	0.10
Butoxycarboxim	0.10	Butralin	0.20	Butylate	0.10	Cadusafos	0.10
Captafol	1.00	Captan	0.20	Carbaryl	0.10	Carbendazim	0.10
Carbofuran	0.10	Carbofuran-3-hydroxy	0.10	Carbophenothion	0.10	Carbophenothion-methyl	0.10
Carboxin	0.10	Carfentrazone-ethyl	0.10	Chlorantraniliprole	0.10	Chlordane	0.10
Chlordimeform	0.10	Chlorfenapyr	0.20	Chlorfenson	0.10	Chlorfenvinphos	0.10
Chlorimuron-ethyl	0.10	Chlornitrofen	0.20	Chlorobenzilate	0.10	Chloroneb	0.10
Chlorothalonil	0.40	Chlorpropham (CIPC)	0.10	Chlorpyrifos-ethyl	0.10	Chlorpyrifos-methyl	0.10
Chlorsulfuron	0.10	Chlorthal-dimethyl (Dacthal, D)	0.10	Chlorthion	0.20	Chlorthiophos	0.10
Cinerin I	0.10	Clethodim	0.10	Clethodim-sulfone	0.10	Clethodim-sulfoxide	0.10
Clofentezine	0.10	Clomazone	0.10	Clopyralid	0.10	Clothianidin	0.10
Coumaphos	0.10	Crotoxyphos	0.10	Cyanazine	0.10	Cyanofenphos	0.10
Cyanophos	0.40	Cyantraniliprole	0.10	Cyazofamid	0.10	Cycloate	0.10
Cycloxydim	0.10	Cyflufenamid	0.10	Cyflumetofen	0.10	Cyfluthrin (incl. Beta-Cyfluthrin)	0.20
Cyhalothrin, lambda	0.10	Cymoxanil	0.10	Cypermethrin and isomers (su	0.10	Cyprodinil	0.10
Cyromazine	0.10	DDD-o,p'	0.10	DDD-p,p'	0.10	DDE-o,p'	0.10
DDE-p,p'	0.10	DDT-o,p'	0.10	DDT-p,p'	0.10	DEF (Tribufos)	0.10
Deltamethrin	0.10	Demeton	0.20	Demeton-s-methyl	0.20	Demeton-s-methyl sulfone	0.20
Desmedipham	0.10	Diallate	0.10	Diazinon	0.10	Diazoxon (Diazinon OA)	0.10
Dicamba	0.10	Dichlobenil	0.10	Dichlofenthion	0.10	Dichlofluanid	0.10
Dichlorbenzamide	0.10	Dichlorvos	0.10	Diclobutrazol	0.10	Diclofop	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2025-03-28

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Diclofop-methyl	0.10	Dicloran	0.40	Dicofol o,p	0.20	Dicofol-p,p	0.20
Dicrotophos	0.10	Dieldrin	0.10	Diethofencarb	0.10	Diethyltoluamide (DEET)	0.10
Difenoconazole	0.10	Diffubenzuron	0.10	Diffufenzopyr	0.10	Dimethenamid	0.10
Dimethoate	0.10	Dimethomorph	0.10	Diniconazole	0.10	Dinocap	0.10
Dinoseb	0.10	Dinotefuran	0.10	Dioxathion	0.10	Diphenamid	0.10
Diphenylamine	0.10	Disulfoton	0.20	Disulfoton-sulfone	0.10	Disulfoton-sulfoxide	0.10
Dithianon	0.10	Dithiopyr	0.10	Diuron	0.10	Diuron metabolite (DCPMU)	0.10
DNOC (Dinitrocresol)	0.10	Edifenphos	0.10	Endosulfan I (alpha)	0.20	Endosulfan II (beta)	0.20
Endosulfan sulfate	0.10	Endrin	0.20	Endrin Aldehyde	0.20	EPN	0.10
EPTC	0.10	Esfenvalerate	0.20	Etaconazole	0.10	Ethaboxam	0.10
Ethalfuralin	0.10	Ethiofencarb	0.10	Ethion	0.10	Ethirimol	0.10
Ethofumesate	0.10	Ethoprophos	0.10	Ethoxyquin	0.20	Etofenprox	0.10
Etoxazole	0.10	Etridiazole	0.10	Etrimfos	0.10	Famoxadone	0.20
Famphur	0.10	Fenamidone	0.10	Fenamiphos	0.10	Fenamiphos-sulfone	0.10
Fenamiphos-sulfoxide	0.10	Fenarimol	0.10	Fenazaquin	0.10	Fenbuconazole	0.10
Fenbutatin oxide	0.10	Fenchlorphos	0.10	Fenchlorphos-oxon	0.10	Fenhexamid	0.10
Fenitrothion	0.10	Fenobucarb	0.10	Fenoxaprop-p-ethyl	0.10	Fenoxycarb	0.10
Fenpropathrin	0.10	Fenpyroximate	0.10	Fenson	0.20	Fensulfothion	0.10
Fenthion	0.10	Fenuron	0.10	Fipronil	0.10	Fonicamid	0.10
Fluazifop	0.10	Fluazinam	0.10	Fluchloralin	0.10	Flucythrinate	0.30
Fludioxonil	0.10	Flufenacet	0.10	Flumetsulam	0.10	Flumioxazin	0.10
Fluometuron	0.10	Fluopicolide	0.10	Fluopyram	0.10	Fluoxastrobin	0.10
Fluprimidol	0.10	Flupyradifurone	0.10	Fluridone	0.10	Fluroxypyr	0.10
Flusilazole	0.10	Fluthiacet-methyl	0.10	Flutianil	0.10	Flutolanil	0.10
Flutriafol	0.10	Fluxapyroxad	0.10	Folpet	0.10	Fomesafen	0.10
Fonofos	0.10	Foramsulfuron	0.10	Forchlorfenuron	0.10	Formetanate	0.10
Furathiocarb	0.10	Halosulfuron-methyl	0.10	Haloxypop	0.10	Heptachlor	0.10
Heptachlor epoxide	0.10	Hexachlorobenzene	0.10	Hexaconazole	0.10	Hexazinone	0.10
Hexythiazox	0.10	Hydroprene	0.10	Imazalil	0.10	Imazamox	0.10
Imazapic	0.10	Imazapyr	0.10	Imazaquin	0.10	Imazethapyr	0.10
Imidacloprid	0.10	Indaziflam	0.10	Indoxacarb	0.10	Iprobenfos	0.10
Iprodione	0.10	Isazophos	0.10	Isobenzan	0.10	Isocarbophos	0.10
Isodrin	0.10	Isofenphos	0.10	Isofenphos-methyl	0.10	Isofenphos-oxon	0.10
Isofetamid	0.10	Isoprocab	0.10	Isopropalin	0.10	Isoprothiolane	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2025-03-28

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Isoproturon	0.10	Isoxaben	0.10	Isoxaflutole	0.10	Jasmodin I	0.10
Kresoxim-methyl	0.10	Lactofen	0.20	Lenacil	0.10	Linuron	0.10
Malaoxon	0.10	Malathion	0.10	Mandestrobin	0.10	Mandipropamid	0.10
MCPA	0.10	MCPB	0.10	MCPP (Mecoprop)	0.10	MCPP-P	0.10
Mecarbam	0.10	Mefentrifluconazole	0.10	Mepanipyrim	0.10	Mesosulfuron-methyl	0.10
Mesotrione	0.10	Metaxyl	0.10	Metaldehyde	0.10	Metconazole	0.10
Methacrifos	0.10	Methamidophos	0.10	Methidathion	0.10	Methiocarb	0.10
Methiocarb-sulfone	0.10	Methiocarb-sulfoxide	0.10	Methiozolin	0.10	Methomyl	0.10
Methoxychlor	0.10	Methoxyfenozide	0.10	Metobromuron	0.10	Metolacarb	0.10
Metolachlor	0.10	Metrafenone	0.10	Metribuzin	0.10	Metsulfuron-methyl	0.10
Mevinphos	0.10	Mexacarbate	0.10	MGK-264	0.10	Mirex	0.10
Molinate	0.10	Monocrotophos	0.10	Monolinuron	0.10	Myclobutanil	0.10
Naled	0.10	Napropamide	0.10	Neburon	0.10	Nicosulfuron	0.10
Nitrapyrin	0.10	Nitrofen	0.20	Norflurazon	0.10	Novaluron	0.10
Nuarimol	0.20	O-Phenylphenol	0.50	Omethoate	0.10	Oryzalin	0.10
Oxadiazon	0.10	Oxadixyl	0.10	Oxamyl	0.10	Oxamyl-oxime	0.10
Oxathiapiprolin	0.10	Oxychlordane	0.10	Oxydemeton-methyl	0.10	Oxyfluorfen	0.10
Oxythioquinox	0.20	Paclobutrazole	0.10	Paraoxon-ethyl	0.10	Paraoxon-methyl	0.10
Parathion-ethyl	0.10	Parathion-methyl	0.30	Penconazole	0.10	Pendimethalin	0.10
Penflufen	0.10	Pentachloroaniline	0.10	Pentachloroanisole	0.10	Pentachlorobenzene	0.10
Pentachlorophenol	0.10	Pentachloroethoxyanisole	0.30	Penthiopyrad	0.10	Permethrin	0.10
Perthane	0.10	Phenmedipham	0.10	Phenothrin	0.10	Phenthoate	0.10
Phorate	0.10	Phorate OA	0.10	Phorate-sulfone	0.10	Phorate-sulfoxide	0.10
Phosalone	0.10	Phosmet	0.10	Phosmet oxon	0.10	Phosphamidon	0.10
Phoxim	0.10	Picloram	0.10	Pinoxaden	0.10	Piperonyl butoxide	0.10
Pirimicarb	0.10	Pirimiphos-ethyl	0.10	Pirimiphos-methyl	0.10	Prallethrin	0.10
Primisulfuron-methyl	0.10	Prochloraz	0.10	Procymidone	0.10	Prodiamine	0.10
Profenofos	0.10	Profluralin	0.10	Promecarb	0.10	Prometon	0.10
Prometryn	0.10	Pronamide (Propyzamid)	0.10	Propachlor	0.10	Propamocarb	0.10
Propanil	0.10	Propargite	0.10	Propazine	0.10	Propetamphos	0.10
Propham	0.10	Propiconazole	0.10	Propoxur	0.10	Propoxycarbazon sodium	0.10
Prosulfuron	0.10	Prothioconazole	0.10	Prothiofos	0.10	Pydiflumetofen	0.10
Pymetrozine	0.10	Pyraclostrobin	0.10	Pyraflufen-ethyl	0.10	Pyrazophos	0.10
Pyrethrins (total)	0.10	Pyridaben	0.10	Pyridate	0.10	Pyrifluquinazon	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2025-03-28

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Pyrimethanil	0.10	Pyriproxyfen	0.10	Pyroxasulfone	0.10	Pyroxulam	0.10
Quinalphos	0.10	Quinclorac	0.10	Quinoxifen	0.10	Quintozene (PCNB)	0.10
Quizalofop	0.10	Resmethrin	0.10	Rimsulfuron	0.10	Rotenone	0.10
S-421	0.10	Saflufenacil	0.10	Sebuthylazine	0.10	Sedaxane	0.10
Sethoxydim	0.10	Siduron	0.10	Simazine	0.10	Simetryn	0.10
Spinetoram	0.10	Spinosad	0.10	Spirodiclofen	0.10	Spiromesifen	0.10
Spirotetramat	0.10	Spirotetramat enol	0.10	Spiroxamine	0.10	Sulfallate	0.10
Sulfentrazone	0.30	Sulfometuron-methyl	0.10	Sulfosulfuron	0.10	Sulfotep	0.10
Sulfoxaflo	0.10	Sulprofos	0.10	Tau-fluvalinate	0.10	Tebuconazole	0.10
Tebufenozide	0.10	Tebuthiuron	0.10	Tecnazene	0.10	Tefluthrin	0.10
Tembotrione	0.10	Terbacil	0.40	Terbufos	0.10	Terbufos-sulfone	0.10
Terbufos-sulfoxide	0.10	Terbuthylazine	0.10	Terbutryn	0.10	Tetrachlorvinphos	0.10
Tetraconazole	0.10	Tetradifon	0.10	Tetramethrin	0.10	Tetrasul	0.10
Thiabendazol 5 hydroxy	0.10	Thiabendazole	0.10	Thiacloprid	0.10	Thiamethoxam	0.10
Thifensulfuron-methyl	0.10	Thiobencarb	0.10	Thiodicarb	0.10	Thiometon	0.20
Thionazin	0.10	Thiophanate-methyl	0.10	Tolclofos-methyl	0.10	Tolfenpyrad	0.10
Tolyfluanid	0.10	Topramezone	0.10	Tralkoxydim	0.10	Triadimefon	0.10
Triadimenol	0.10	Triallate	0.10	Triasulfuron	0.10	Triazophos	0.10
Tribenuron-methyl	0.10	Trichlorfon (Metrifonate)	0.10	Triclopyr	0.20	Trifloxystrobin	0.10
Trifloxysulfuron	0.10	Triflumizole	0.10	Trifluralin	0.10	Triflurosulfuron-methyl	0.10
Triforine	0.10	Trinexapac-ethyl	0.10	Triticonazole	0.10	Vinclozolin	0.10
Zoxamide	0.10						



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-003074/D001.R000
Report Date: 03/31/2025
ORELAP#: OR100028
Purchase Order:
Received: 03/24/25 11:18



Hemp & Cannabis
Chain of Custody

Northwest-Natural-
Goods-1742335501

Company Details Company: Northwest Natural Goods [Redacted] [Redacted] [Redacted] [Redacted] [Redacted] [Redacted] Billing Information [Redacted]	Project Details Turnaround Time: 5 Business Days Req. For Micro Testing Standard Relinquishment Sampling, Courier & Shipping Options: Pick-Up Courier Service Project Name / ID: HEMP - DSB 0003 & HEMP - DPOM 0005 Pick-Up Details Pick-Up Location Name: Northwest Natural Goods [Redacted] [Redacted] [Redacted] Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves					Testing					
	H0013 - Cannabis Heavy Metals Profile OR	H0010 - Potency Cannabis (Basic+Expanded)	N3600 - Water Activity & Moisture (as Loss on Drying)	H1010 - Micro Profile D	P2320 - Multi-Residue Pesticide Profile (Cannabis)	H0008 - Residual Solvents (Cannabis - Oregon)	H0042 - Aflatoxins+Ochratoxin OLCC				
#	Sample Name	Material	Amount Provided	Reporting Unit	Serving Size						
1	HEMP - DSB 0003	Cannab no d Ed b e	20 each	mg/g & mg/serv ng	4 g	✓	✓	✓	✓	✓	✓
2	HEMP - DPOM 0005	Cannab no d Ed b e	20 each	mg/g & mg/serv ng	4 g	✓	✓	✓	✓	✓	✓

Relinquished By	Date	Time	Temp., °C	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
Kristen Johnson	03/18/2025	15:05	Temp., °C	BCR	03/24/2025	10:41	NA	NA
BCR	03/24/2025	11:11	19.5	dst	03/24/2025	11:18	19.5	Other

ID	Admin Submission Comment(s)	Name	Date, Time
1	test ng cance ed for HEMP - DPOM 0005	rbs	03/24/2025 10:39

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@columbiaboratories.com

Page 1 of 1
www.columbiaboratories.com


Laboratory Quality Control Results

J AOAC 2015 V98-6					Batch ID: 2502160				
Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0322	0.0320	%	100	80.0	- 120	Acceptable	
CBDV	2	0.0335	0.0341	%	98.2	80.0	- 120	Acceptable	
CBE	2	0.0331	0.0335	%	98.9	80.0	- 120	Acceptable	
CBDA	1	0.0345	0.0348	%	99.1	90.0	- 110	Acceptable	
CBGA	1	0.0342	0.0341	%	100	80.0	- 120	Acceptable	
CBG	1	0.0335	0.0333	%	100	80.0	- 120	Acceptable	
CBD	1	0.0323	0.0326	%	99.1	90.0	- 110	Acceptable	
THCV	2	0.0330	0.0329	%	100	80.0	- 120	Acceptable	
d8THCV	2	0.0343	0.0353	%	97.1	80.0	- 120	Acceptable	
THCVA	2	0.0311	0.0312	%	99.8	80.0	- 120	Acceptable	
CBN	1	0.0330	0.0330	%	100.0	80.0	- 120	Acceptable	
exo-THC	2	0.0321	0.0324	%	98.9	80.0	- 120	Acceptable	
d9THC	1	0.0325	0.0330	%	98.5	90.0	- 110	Acceptable	
d8THC	1	0.0337	0.0344	%	98.0	90.0	- 110	Acceptable	
9S-d10THC	1	0.0340	0.0352	%	96.5	80.0	- 120	Acceptable	
CBL	2	0.0309	0.0323	%	95.6	80.0	- 120	Acceptable	
9R-d10THC	1	0.0341	0.0354	%	96.5	80.0	- 120	Acceptable	
CBC	2	0.0332	0.0340	%	97.7	80.0	- 120	Acceptable	
THCA	1	0.0380	0.0371	%	103	90.0	- 110	Acceptable	
CBCA	2	0.0326	0.0327	%	99.6	80.0	- 120	Acceptable	
CBLA	2	0.0317	0.0328	%	96.8	80.0	- 120	Acceptable	
d9THCP	2	0.0310	0.0329	%	94.4	80.0	- 120	Acceptable	
CBT	2	0.0304	0.0337	%	90.3	80.0	- 120	Acceptable	
Method Blank									
Analyte		Result	LOQ	Units		Limits		Evaluation	Notes
CBDVA		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBDV		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBE		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBDA		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBGA		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBG		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBD		<LOQ	0.00309	%		< 0.00309		Acceptable	
THCV		<LOQ	0.00309	%		< 0.00309		Acceptable	
d8THCV		<LOQ	0.00309	%		< 0.00309		Acceptable	
THCVA		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBN		<LOQ	0.00309	%		< 0.00309		Acceptable	
exo-THC		<LOQ	0.00309	%		< 0.00309		Acceptable	
d9THC		<LOQ	0.00309	%		< 0.00309		Acceptable	
d8THC		<LOQ	0.00309	%		< 0.00309		Acceptable	
9S-d10THC		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBL		<LOQ	0.00309	%		< 0.00309		Acceptable	
9R-d10THC		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBC		<LOQ	0.00309	%		< 0.00309		Acceptable	
THCA		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBCA		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBLA		<LOQ	0.00309	%		< 0.00309		Acceptable	
d9THCP		<LOQ	0.00309	%		< 0.00309		Acceptable	
CBT		<LOQ	0.00309	%		< 0.00309		Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

AOAC 2015 V98-6			Batch ID: 2502160					
Sample Duplicate			Sample ID: 25-003053-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBG	0.00828	0.00836	0.00306	%	1.01	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBN	0.00334	0.00336	0.00306	%	0.510	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
d9THC	0.246	0.247	0.00306	%	0.309	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBC	0.00392	0.00390	0.00306	%	0.554	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00306	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

Residual Solvents					Batch ID: 2502174				
Method Blank					Laboratory Control Sample				
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,1-Dichloroethane	ND	< 1		1.04	1	µg/g	104.0	50-150	
1,4-Dioxane	ND	< 100		390	487	µg/g	80.1	60-120	
2,2-Dimethylbutane	ND	< 30		147	182	µg/g	80.8	60-120	
2,2-Dimethylpropane	ND	< 200		695	956	µg/g	72.7	60-120	
2,3-Dimethylbutane	ND	< 30		136	184	µg/g	73.9	60-120	
2-Butanol	ND	< 200		1310	1640	µg/g	79.9	60-120	
2-Ethoxyethanol	ND	< 30		137	180	µg/g	76.1	60-120	
2-Methylbutane	ND	< 200		1290	1620	µg/g	79.6	60-120	
2-Methylpentane	ND	< 30		151	185	µg/g	81.6	60-120	
2-Propanol	ND	< 200		1320	1630	µg/g	81.0	60-120	
3-Methyl-1-butanol	ND	< 500		1310	1600	µg/g	81.9	50-150	
3-Methylpentane	ND	< 30		146	177	µg/g	82.5	60-120	
Acetone	ND	< 200		1160	1640	µg/g	70.7	60-120	
Acetonitrile	ND	< 100		404	513	µg/g	78.8	60-120	
Anisole	ND	< 500		1160	1610	µg/g	72.0	50-150	
Benzene	ND	< 1		0.877	1	µg/g	87.7	50-150	
Butane	ND	< 200		595	769	µg/g	77.4	60-120	
Carbon Tetrachloride	ND	< 1		0.912	1	µg/g	91.2	50-150	
Chlorobenzene	ND	< 1		0.803	1	µg/g	80.3	50-150	
Cumene	ND	< 30		163	227	µg/g	71.8	60-120	
Cyclohexane	ND	< 200		1440	1610	µg/g	89.4	60-120	
Dichloromethane	ND	< 1		1.04	1	µg/g	104.0	50-150	
DMSO	ND	< 500		1320	1600	µg/g	82.5	50-150	
Ethanol	ND	< 200		1350	1680	µg/g	80.4	60-120	
Ethyl acetate	ND	< 200		1290	1620	µg/g	79.6	60-120	
Ethyl Ether	ND	< 200		1350	1640	µg/g	82.3	60-120	
Ethylbenzene	ND	< 200		835	1060	µg/g	78.8	60-120	
Ethylene Glycol	ND	< 200		383	530	µg/g	72.3	60-120	
Ethylene Oxide	ND	< 1		0.963	1	µg/g	96.3	50-150	
Heptane	ND	< 200		1260	1610	µg/g	78.3	60-120	
Hexane	ND	< 30		143	174	µg/g	82.2	60-120	
Isobutane	ND	< 200		587	770	µg/g	76.2	60-120	
Isobutyl Acetate	ND	< 500		1380	1620	µg/g	85.2	50-150	
Isopropyl Acetate	ND	< 200		1320	1620	µg/g	81.5	60-120	
m,p-Xylene	ND	< 200		858	1040	µg/g	82.5	60-120	
Methanol	ND	< 200		1280	1650	µg/g	77.6	60-120	
Methylethylketone	ND	< 500		1450	1610	µg/g	90.1	50-150	
N,N-dimethylacetamide	ND	< 150		407	498	µg/g	81.7	50-150	
o-Xylene	ND	< 200		797	1090	µg/g	73.1	60-120	
Pentane	ND	< 200		1290	1620	µg/g	79.6	60-120	
Propane	ND	< 200		432	585	µg/g	73.8	60-120	
Propyl Acetate	ND	< 500		1450	1620	µg/g	89.5	50-150	
Sulfolane	ND	< 50		110	173	µg/g	63.6	50-150	
Tetrahydrofuran	ND	< 100		424	511	µg/g	83.0	60-120	
Toluene	ND	< 100		401	497	µg/g	80.7	60-120	


QC - Sample Duplicate
Sample ID: 25-002955-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Carbon Tetrachloride	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chlorobenzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-003074/D001.R000
Report Date: 03/31/2025
ORELAP#: OR100028
Purchase Order:
Received: 03/24/25 11:18





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.